

## 11. References

AIRS (1998) <http://www.epa.gov/airsweb/>

Ames R.B. and W.C. Malm (1999). Estimating the Contribution of the Mohave Coal-Fired Power Plant Emissions to Atmospheric Sulfur at Grand Canyon National Park. Submitted to JAWMA.

Andrews, E., P. Saxena, S. Musarra, L.M. Hildemann, P. Koutrakis, P.H. McMurry, I. Olmez, and W.H. White (1999). Concentration and Composition of Atmospheric Aerosols from the 1995 SEAVS Experiment and a Review of the Closure between Chemical and Gravimetric Measurements. Accepted by JAWMA.

Angevine W.M. and J.I. MacPherson (1996) Comparison of wind profiler and aircraft wind measurements at Chebogue Point, Nova Scotia, *J. of Atmospheric and Oceanic Technology*, 12, 427-436.

Angevine W.M., P.S. Bakwin, and K.J. Davis (1998) Wind profiler and RASS measurements compared to measurements from a 450-m tower *J. of Atmospheric and Oceanic Technology* (in press).

Bastable H.G., D.E. Schorran, and D.P. Rogers (1990) Tracers of opportunity and pollutant transport in Southern California. *Atmospheric Environment* 24B, 137-51.

Cahill T.A. (1990) Particle-induced x-ray emission. *Metals Handbook Ninth Edition*. American Society for Metals. Kathleen Mills, Editor. Vol. 10, p 102.

Cahill T.A., R.A. Eldred, N. Motallebi, and W.C. Malm (1989) Indirect measurement of hydrocarbon aerosols across the United States by nonsulfate hydrogen-remaining gravimetric mass correlations. *Aerosol Science and Technology*. 10, 421.

Campbell D. S., T. A. Cahill, R. A. Eldred, C. Cahill, J. Vesenska, and T. van Curen (1989) The coefficient of optical absorption of particles deposited on filters: Integrating plate, integrating sphere, and coefficient of haze measurements. *82nd Annual Meeting of the Air and Waste Management Association*. Anaheim, CA: 1989. 864.

Chow J.C., J.G. Watson, L.C. Pritchett, W.R. Pierson, C.A. Frazier, and R.G. Purcell (1993) The DRI thermal/optical reflectance carbon analysis system: description, evaluation and applications in U.S. air quality studies. *Atmospheric Environment* 27A, 1185.

Cui W., J. Machir, L. Lewis, D. J. Eatough, and N. L. Eatough (1997) Fine particulate organic material at Meadview during the Project MOHAVE Summer Intensive Study. *JAWMA* 47:357-369.

Dietz R.N. (1996) Perfluorocarbon tracer technology. Regional and Long-range Transport of Air Pollution, Lectures of a course held at the Joint Research Center, Ispra, Italy, 15-19 September 1996, Elsevier Publishers B.V. Amsterdam, 215-247.

Department of Energy (DOE) (1995). SO<sub>2</sub> emissions data. Personal Communication from Edward Trexl.

Douglas M.W., R.W. Maddox, K.W. Howard, and S. Reyes, 1993: The Mexican Monsoon, *J. of Climate* 6, 1665-1677.

- Eatough D.J. (1993) Determination of endemic tracers for the source apportionment of SO<sub>2</sub> and sulfate in emissions from coal fired power plants for Project MOHAVE. *Project MOHAVE data report*. Brigham Young University.
- Eatough D.J., L.J. Lewis, M. Eatough, and E.A. Lewis (1995) Sampling artifacts in the determination of particulate sulfate and SO<sub>2</sub>(g) in the desert Southwest using filter pack sampler *Environ. Sci. Tech.*, **29**, 787-791.
- Eatough, D.J., A. Du, J.M. Joseph, F.M. Caka, B. Sun, L. Lewis, N.F. Mangelson, M. Eatough, L.B. Rees, N.L. Eatough (1997a). Regional source profiles of sources of SO<sub>x</sub> at the Grand Canyon during Project MOHAVE. *JAWMA* 47:101-18.
- Eatough N.L., M. Eatough, J.M. Joseph, F.M. Caka, L. Lewis, and D.J. Eatough (1997b). Precision and accuracy in the determination of sulfur oxides, fluoride, and spherical aluminosilicate fly ash particles in project MOHAVE. *JAWMA* 47:455-67.
- Eatough D.J., R.J. Farber, and J.G. Watson (1999). Second Generation Chemical Mass Balance Source Apportionment of Sulfur Oxides and Sulfate at Grand Canyon During the Project MOHAVE Summer Intensive. *Accepted by JAWMA*.
- Eatough D. and R. Farber (1999) The influence of emissions from Baja California during the August 31 – September 2 episode after the project MOHAVE summer intensive. Presented at the *92nd Annual Meeting of the Air and Waste Management Association*. St. Louis, MO.
- Eldred R.A., T.A. Cahill, M.L. Pitchford, and W.C. Malm (1988) IMPROVE--a new remote area particulate monitoring system for visibility studies. *Proceedings of the Air Pollution Control Association 81st Annual Meeting*. Dallas, TX, June 19-24. Paper No. 88-54.3.
- Eldred, R.A., and T.A. Cahill (1994). Trends in elemental concentrations of fine particles at remote sites in the United States of America. *Atmos. Environ.* 28, 1009-1019.
- Enger L. (1990) Simulation of dispersion in moderately complex terrain - Parts A-C *Atmospheric Environment* 24A:2431-2471.
- Enger L., D. Koracin, and X. Yang (1993) A Numerical Study of Boundary-Layer Dynamics in a Mountain Valley Part 1. Model Validation and Sensitivity Experiments. *Boundary Layer Meteorology* 66:357-94.
- Enger L. and D. Koracin (1994) Simulations of dispersion in complex terrain using a higher-order closure model. *Atmospheric Environment*, **29**, 2449-2466.
- Farber R.J. (1995) Climatological Representativeness of 1992. Note prepared for the Meteorology Subcommittee of the Grand Canyon Visibility Transport Commission, April 4.
- Farber R.J., T.E. Hoffer, M.C. Green, and P.A. Walsh, (1997). Summer transport patterns affecting the Mohave power project emissions. *JAWMA* 47:383-94.
- Feeney P., T. Cahill, J. Olivera, and R. Guidara (1984) Gravimetric determination of mass on lightly loaded membrane filters. *JAPCA* 34:376.
- Flocchini R.G., T.A. Cahill, M.L. Pitchford, R.A. Eldred, P.J. Feeney, and L.L. Ashbaugh (1981). Characterization of particles in the arid West. *Atmos. Environ.* 15, 2017.

- Gabruk R.S., I. Sykes, C. Seigneur, P. Pai, P. Gillespie, R.W. Bergstrom, and P. Saxena (1997) Performance evaluation of the Reactive & Optics Model of Emissions (ROME). *Air & Waste Management Association 90th Annual Meeting*, Toronto, Ontario.
- Gaynor J.E. and Y.J. Ping (1992a): Transport patterns in western Arizona monitored by wind profilers. *Proc. of the 4th Arizona Weather Symposium*, 10-12 June 1992, NOAA National Weather Service, Phoenix, AZ, pp. 72-77.
- Gaynor J.E. and Y.J. Ping (1992b) Flow in a narrow sloping valley and implications to power plant transport. Preprint volume of *the Tenth Symposium on Turbulence and Diffusion*, 29 Sept.- 2 Oct. 1992, Portland, Oregon. Published by the American Meteorological Society, Boston, Massachusetts.
- Gaynor J.E., R.B. Fritz, and Y.J. Ping (1993) Power plant plume transport in a narrow valley in the presence of complex wind and thermal vertical structure. In *Proceedings: 86th annual meeting of the Air & Waste Mgmt. Assoc.*, June 14-18, 1993, pp. 93-TP-49.06, Air & Waste Management Association, Pittsburgh, PA.
- Gebhart K.A. and W.C. Malm: (1994) Source attribution and statistical summary of data measured at Grand Canyon National Park during 1989-1991. In *Proceedings: Aerosols and Atmospheric Optics: Radiative Balance and Visual Air Quality*. September 26-30, 1994, pp. 1098-1124. Air & Waste Management Association, Pittsburgh, PA.
- Gebhart K.A. and M.C. Green (1995) Clean Air Corridors. In the report *Clean Air Corridors: A framework for identifying regions that influence clean air on the Colorado Plateau*. Prepared by the Meteorology Subcommittee of the Grand Canyon Visibility Transport Commission. Available from the Western Governors' Association, Denver, CO.
- Gebhart K.A. and W.C. Malm (1997). Spatial and temporal patterns in particle data measured during the MOHAVE Study. *JAWMA* 47:119-35.
- Grand Canyon Visibility Transport Commission (1996). *Recommendations for Improving Western Vistas*. Report of the Grand Canyon Visibility Transport Commission to the United States E.P.A. Available for the Western Governors Association, Denver, CO. June, 1996.
- Green M.C., L.O. Myrup and R.G. Flocchini (1992) A method for classification of wind field patterns and its application to Southern California. *Int. J. Climatol.* 12, 111-136.
- Green M.C. and K.A. Gebhart (1997a) Clean Air Corridors: A geographic and meteorologic characterization. *JAWMA* 47, 403-410.
- Green M.C., P. Pai, L. Ashbaugh, and R.J. Farber (1997b) Evaluation of Wind Fields used in the Grand Canyon Visibility Transport Commission Analyses. *Proceedings: Visual Air Quality: Aerosols and Global Radiation Balance*, Bartlett, New Hampshire, September 1997, pp.213-223, Air & Waste Management Association, Pittsburgh, PA.
- Green M.C. and I. Tombach (1999). Use of project MOHAVE Perfluorocarbon Tracer Data for Source Attribution Analysis. Accepted by *JAWMA*.
- Grell G.A., J. Dudhia, and D.R. Stauffer (1995) A Description of the Fifth-Generation Penn State/NCAR Mesoscale Model (MM5), National Center for Atmospheric Research, Techn. Note TN-398, 122 pp.

- Hasan H. and C.W. Lewis (1983) Integrating nephelometer response corrections for bimodal size distributions, *Aerosol Sci. Technol.* **2**, 443-453.
- Hasan H. and T. G. Dzubay (1983) Apportioning Light Extinction Coefficients to Chemical Species in Atmospheric Aerosol. *Atmospheric Environment* **17**(8):1573-1573.
- Heffter J.L. (1980) Air Resources Laboratories Atmospheric Transport and Dispersion Model (ARL-ATAD), Technical Memorandum ERL ARL-81; NOAA, Rockville.
- Hegg D.A., P.V. Hobbs, and J.H. Lyons (1985) Field studies of a power plant plume in the arid southwestern United States. *Atmospheric Environment* **19**, 1147.
- Hegg D.A., J. Livingston, P. Hobbs, T. Novakov, and P. Russell (1997) Chemical apportionment of aerosol column optical depth off the mid-Atlantic coast in the United States. *J. Geophys. Res.* **102**, 25293-25303.
- Heintzenberg J, R. Charlson, A. Clarke, C. Liousse, V. Ramaswamy, K. Shine, M. Wendisch, and G. Helas (1997) Measurements and modelling of aerosol single-scattering albedo; Progress, problems, and Prospects. *Bietr. Phys. Atmosph.* **70**, 249-263.
- Henry R.C. (1997a) Receptor model applied to patterns in space (RMAPS) part I -model description. *JAWMA* **47**:216-9.
- Henry R.C. (1997b) Receptor model applied to patterns in space (RMAPS) part II - apportionment of airborne particulate sulfur from Project MOHAVE. *JAWMA* **47**, 220-5.
- Henry, R.C. (1999) Perception of color in images of simulated haze. Report prepared by R. Henry 24017 Ingomar St., West Hills, CA 91304 for EPRI, January 4, 1999.
- Hoffer T.E., D.F. Miller, and R.J. Farber (1981) A case study of visibility as related to regional transport. *Atmospheric Environment* **15**, 1935.
- Horvath H. (1993). Atmospheric light absorption - A review. *Atmospheric Environment* **27A**, 293-317.
- Horvath H. (1996) Experimental calibration for aerosol light absorption measurements using the integrating plate method - summary of the data. *J.Aerosol Sci.* **28**(7) , 1149-1161.
- Huffman D. (1996) Comparison of the light absorption coefficient and carbon measures for remote aerosols: an independent analysis of data from the IMPROVE network I and II. *Atmos Environ.*, **30** (1), 73-83 and 85-99.
- Iyer H.K., W.C. Malm, and R.A. Ahlbrandt (1987) A mass balance method for estimating the fractional contributions of pollutants from various sources to a receptor site. *APCA Transactions* **10**, 861.
- Kahl J.D., D. Liu, W.H. White, E.S. Macias, and L. Vasconcelos (1997) The relationship between atmospheric transport and the particle scattering coefficient at the Grand Canyon *JAWMA*, **47**, 419-425.
- Karamchandani P., Y. Zhang, and C. Seigneur (1999) Simulation of Sulfate Formation in the Mohave Power Plant Plume. Report CP026-98-1, prepared by Atmospheric and Environmental Research, Inc., San Ramon, CA, for EPRI.

- Koracin D. and L. Enger (1994) A Numerical Study of Boundary-Layer Dynamics in a Mountain Valley Part 2. Observed and simulated characteristics of atmospheric stability and local flows. *Boundary Layer Meteorology* 69:249-283.
- Koracin D., V. Isakov, and J. Frye (1999) A method of evaluating atmospheric models by using tracer measurements. Submitted to *J. of Applied Meteorology*.
- Koutrakis P., K. M. Thompson, J. M. Wolfson, J. D. Spengler, G. J. Keeler, and J. L. Slater. (1992) Determination of aerosol strong acidity losses due to interactions of collected particles: Results from laboratory and field studies. *Atmos Environ.* **26A**, 987-995.
- Kuhns H., M. Green, M. Pitchford, L. Vasconcelos, W. White, , and V. Mirabella (1999). Attribution of Particulate Sulfur in the Grand Canyon to a Specific Point Source using Tracer-Aerosol Gradient Interpretive Technique (TAGIT). *Accepted by JAWMA*.
- Latimer D.A., H.K. Iyer, and W.C. Malm, (1989) Application of a differential mass balance model to attribute sulfate haze in the Southwest. In *Transactions, Visibility and Fine Particles*, C.V. Mathai, Ed. A&WMA, Pittsburgh, pp. 819-830.
- Latimer D.A. (1993) Development of regional haze screening models. Paper 93-TP-49.04, 86<sup>th</sup> Annual Meeting of the A&WMA, Denver, June 13-18.
- Lewis E.A., L.J. Lewis, M. Eatough, L.D. Hansen and D.J. Eatough (1991) Filter pack sampler artifacts in particulate sulfate and SO<sub>2</sub> determination in the desert Southwest in *Proceedings, EPA/AWMA Conference on Toxic and Related Air Pollutants*, Air and Waste Management Association, Pittsburgh, PA, pp 872-884.
- Lindsey C.G., T.S. Dye, R.A. Baxter (1995) Draft guidelines for the quality assurance and management of PAMS upper-air meteorological data. *Report prepared by Sonoma Technology, Santa Rosa, California* for USEPA, Office of Air Quality Planning and Standard, Emissions, Monitoring, and Analysis Division, Research Triangle Park, North Carolina, December.
- Lowenthal D. H., C. F. Rogers, P. Saxena, J. G. Watson, and J. C. Chow (1995) Sensitivity of estimated light extinction coefficients to model assumptions and measurement errors. Anonymous. Anonymous. *Atmospheric Environment* 29(7):751-766.
- Lu X. and T. Yamada (1998) Numerical simulation of airflows and tracer transport in an arid western mountain area. *Proceedings of AMS Annual Meeting*, Phoenix, January 11-16.
- Macias E.S., J.O. Zwicker, and W.H. White (1981) Regional haze case studies in the E.S. southwestern U.S. -- II. Source contributions. *Atmospheric Environment* 15, 1987.
- Malm W.C., H.K. Iyer, and K. Gebhart (1989a). Application of tracer mass balance regression to WHITEX data. In *Transactions, Visibility and Fine Particles*, C.V. Mathai, Ed. A&WMA, Pittsburgh, pp. 806-818.
- Malm W., K. Gebhart, D. Latimer, T. Cahill, R. Pielke, and J. Watson (1989b) National Park Service Report on the Winter Haze Intensive Tracer Experiment (WHITEX).
- Malm W.C. (1992) Characteristics and origins of haze in the continental United States. *Earth-Science Reviews* 33, 1.

- Malm, W.C., J. F. Sisler, D. Huffman, R.A. Eldred, and T.A. Cahill (1994). Spatial and seasonal trends in particle concentration and optical extinction in the United States. *J. Geophys. Res.* 99, 1347-1370.
- Malm W.C. and S.M. Kreidenweis (1997) The effects of models of aerosol hygroscopicity on the apportionment of extinction. *Atmos. Env.* **31**, 1965-1976.
- Malm W.C. (1998) Examining the relationship between aerosol concentration and partial scattering efficiencies near the Grand Canyon. *Annual Meeting of the A&WMA*, San Diego, CA.
- Markowski. G. R. (1992) The WHITEX Study and the Role of the Scientific Community: A Critique. *JAWMA* 42(11):1453-1460.
- Mathai C. V. (1995) The Grand Canyon Visibility Transport Commission and visibility in Class I areas. *EM* 1(12):20-31.
- McMurry P. H., X. Zhang, and C. T. Lee. (1996) Issues in aerosol measurement for optics assessments. *J. Geophys. Res.* 101(D14):19189-19198.
- Miller D.F., D.E. Schorran, T.E. Hoffer, D.P. Rogers, W.H. White, and E.S. Macias (1990) An analysis of regional haze using tracers of opportunity. *JAWMA* 40, 757-61.
- Mirabella V.A. (1996a). Summary of MPP tracer dispersion modeling simulations, Latimer HAZEPUFF model – Project MOHAVE Summer Experiment. Memorandum to Project MOHAVE technical group, prepared by Southern California Edison. November 12.
- Mirabella V.A. (1996b). Supplemental Analysis: Latimer HAZEPUFF model, Project MOHAVE summer experiment. Memorandum to Project MOHAVE technical group, prepared by Southern California Edison. November 14.
- Mirabella V. (1997) Relating summer ambient particulate sulfur and sulfur dioxide to gaseous tracer emissions at the Mohave Power Project. *Proceedings, Visual Air Quality, Aerosols & Global Radiation Balance*, A&WMA, Pittsburgh, pp. 733-753.
- Murray L.C., R.J. Farber, M.D. Zeldin, and W.H. White (1990) Using statistical analyses to evaluate modulation in SO<sub>2</sub> emissions. In: *Transactions, Visibility and Fine Particles*, edited by Mathai, C.V. Pittsburgh, PA: Air & Waste Management Association, 1990, p. 923-934.
- National Research Council (1990) Haze in the Grand Canyon – An evaluation of the Winter Haze Intensive Tracer Experiment. Prepared by the Committee on Haze in National Parks and Wilderness Areas. National Academy Press, Washington D.C.
- Neff W.D. (1990) Remote sensing of atmospheric processes over complex terrain. In *Atmospheric Processes over Complex Terrain*. W. Blumen, editor. American Meteorological Society, Boston, MA. 173-228.
- Neff W.D. (1994) Mesoscale air quality studies with meteorological remote sensing systems *International Journal of Remote Sensing*, 15, 393-426.
- Nelson L. R. (1991) Personal communication. May 8, 1991.

- Patterson P., H. Iyer, J. Sisler, and W. Malm (1999). An analysis of the yearly changes in sulfur concentrations at various national parks in the United States for the period 1980-1996. Submitted to *JAWMA*.
- Pilinis C., S. N. Pandis, and J. H. Seinfeld (1998) Sensitivity of direct climate forcing by atmospheric aerosols to aerosol size and composition. *J. Geophys. Res.* 100 (D9):18739-18754.
- Piringer M., K. Baumann, H. Rotzer, J. Riesing, K. Nodop (1997) Results on perfluorocarbon background concentrations in Austria. *Atmospheric Environment* 31, 515-527.
- Pitchford M.L., and W.C. Malm (1994). Development and Application of a Standard Visual Index. *Atmospheric Environment* 28, 1049-1054
- Pitchford M. and M. Green, (1997). Analyses of sulfur aerosol size distributions for a forty-day period in summer 1992 at Meadview, Arizona. *JAWMA* 47:136-46.
- Raabe O.G., D.A. Braaten, R.L. Axelbaum, S.V. Teague, and T.A. Cahill (1988) Calibration Studies of the DRUM Impactor. *Journal of Aerosol Science.* 19.2:183.
- Richards L.W., C.L. Blanchard, and D.L. Blumenthal (1991) Navajo Generating Station Visibility Study: Executive Summary. Sonoma Technology Inc. report STI-90200-1124-FRD2, April 16, 1991. Prepared for Salt River Project, Phoenix AZ.
- Seigneur C., X.A. Wu, E. Constantinou, P. Gillespie, R.W. Bergstrom, I. Sykes, A. Venkatram, and P. Karamchandani (1997a). Formulation of a Second-Generation Reactive Plume & Visibility Model. *JAWMA* 47:176-184.
- Seigneur C., X.A. Wu, E. Constantinou, P. Gillespie, R.W. Bergstrom, I. Sykes, A. Venkatram, and P. Karamchandani (1997b). Formulation of a Second-Generation Reactive Plume & Visibility Model. *JAWMA* 47:176-184.
- Seigneur C., P. Pai, I. Tombach, C. McDade, P. Saxena, and P. Mueller (1998). Modeling of potential power plant plume impacts on Dallas-Fort Worth visibility. Submitted to *JAWMA*.
- Seinfeld J. H. (1986) *Atmospheric Chemistry and Physics of Air Pollution*. John Wiley & Sons, Inc., New York.
- Sheiman D.A., D.D. Doniger, and L.L. Dator (1990) *A Who's Who of American Ozone Depleters*. Report by National Resources Defense Council, New York.
- Sisler J.F. and W.C. Malm (1997). Characteristics of winter and summer aerosol mass and light extinction on the Colorado Plateau. *JAWMA* 47:317-30.
- Sisler J.F., W.C. Malm, and M.L. Pitchford (1996) Spatial and seasonal patterns and long term variability of the composition of the haze in the United States: An analysis of data from the IMPROVE Network. CIRA Report, ISSN: 0737-5352-32.
- Sloane C. S. (1986) Effect of Composition on Aerosol Light Scattering Efficiencies. *Atmospheric Environment* 20:1025-1037.
- Switzer P., L. Enger, T.E. Hoffer, D. Koracin, and W.H. White (1996) Ambient sulfate concentrations near Grand Canyon as a function of fluctuating loads at the Mohave

- Power Project: An exploratory analysis of an atmospheric experiment. *Atmospheric Environment* 30(14), 2551-2564.
- Tombach I., P. Karamchandani, and P. Pai (1996). Development, Evaluation, and Application of Transfer Coefficients for Predicting Colorado Plateau Air Quality. Paper 96-TP46.03, 89<sup>th</sup> Annual Meeting of the A&WMA, Nashville, June 23-28.
- Turpin B.J., P. Saxena, G. Allen, P. Koutrakis, P. McMurry, and L. Hildemann (1997) Characterization of the southwestern desert aerosol, Meadview, AZ. *JAWMA* 47:344-56.
- UC Davis (1994) UCD/AQG Internal Report: Absorption Coefficient, March 31.
- Uliasz M. and R.A. Pielke (1993) Numerical Modeling of Air Pollution Transport in Southwestern United States Using Source- and Receptor-Oriented Techniques. In Proceedings: 86th annual meeting of the Air & Waste Mgmt. Assoc., June 14-18, 1993, pp. 93-TP-49.06, Air & Waste Management Association, Pittsburgh, PA.
- U.S.E.P.A. (1991) The Project MOHAVE Study Plan, September 27, 1991, Office of Air Quality Planning and Standards, Research Triangle Park, NC.
- Vasconcelos L., J.D.W. Kahl, D. Liu, E.S. Macias, and W.H. White (1996a) A tracer calibration of back trajectory analysis at the Grand Canyon. *J. Geophysical Research* 101, 19329.
- Vasconcelos L., J.D.W. Kahl, D. Liu, E.S. Macias, and W.H. White (1996b) Patterns of dust transport to the Grand Canyon. *Geophysical Research Letters* 23, 3187.
- Vimont J. C. (1998). Evaluation of the CALMET/CALPUFF Modeling System using Project MOHAVE Tracer and Implications for Sulfate Concentrations. Proceedings, Visual Air Quality, Aerosols & Global Radiation Balance, A&WMA, Pittsburgh, pp. 436-446.
- Waggoner A. (1995) Presentation at DOE Extinction Efficiency Workshop, Las Vegas, February 1995.
- Wallace J. M. and P. V. Hobbs (1977) *Atmospheric Science, An Introductory Survey* San Diego, CA, Academic Press 467 pages.
- Warneck P (1988) *Chemistry of the Natural Atmosphere*. Academic Press, San Diego, CA.
- Weiss R.E. (1989) Accuracy Calibration for IPM Optical Absorption on 47 mm Filters, *SCENES Internal Report*.
- White W. H. (1986) On the Theoretical and Empirical Basis for Apportioning Extinction by Aerosols: a Critical Review. *Atmospheric Environment* 20(9):1659-1672.
- White W.H., E.S. Macias, D.F. Miller, D.E. Schorran, T.E. Hoffer, D.P. Rogers (1990). Regional Transport of the Urban Workweek: Methylchloroform Cycles in the Nevada-Arizona Desert. *Geophysical Research Letters* 17:1081-4.
- White W. (1993) Extinction and particle mass measurements at Meadview during the MOHAVE summer intensive. Interim report prepared from Southern California Edison, Dec. 22.
- White W.H., E.S. Macias, R.C. Ninger, and D. Schorran (1994a) Size-resolved measurements of light scattering by ambient particles in the southwestern U.S.A. *Atmospheric Environment* 28, 909.



- White W.H., E.S. Macias, J.D. Kahl, P.J. Samson, J.V. Molenar, and W.C. Malm (1994b) On the potential for regional-scale emissions zoning as an air quality management tool for the Grand Canyon. *Atmospheric Environment*, 28, 1035-1045.
- White W.H. (1997a). Deteriorating air or improving measurements? On interpreting concatenate time series. *J. Geophys. Res.* 102, 6813-6821.
- White W.H. (1997b). Phantom Sources from Spatial Correlations: An Example. In Proceedings: Visual Air Quality: Aerosols and Global Radiation Balance, Bartlett, NH, September 1997, pp. 762-767, Air & Waste Management Association, Pittsburgh, PA.
- White W.H., R.J. Farber, M.C. Green, E.S. Macias, V.A. Mirabella, M.L. Pitchford, and L.A. Vasconcelos (1999). Tracking Regional Background in a Haze Attribution Experiment. Accepted by *JAWMA*.
- Yamada T. (1997). Numerical Simulations of Airflows and Tracer Transport in the Arid Western Mountainous Area. Final Report by Yamada Science & Art Corporation, Santa Fe, NM, to EPRI.
- Yamada, T. (1999) Numerical Simulations of Airflows and Tracer Transport in the Western Mountainous Area. Accepted by *J. Appl. Meteor.*
- Zeng X, X. Wu, H. Yao, F. Yang, and T. Cahill (1993) PIXE-Induced XRF with Transmission Geometry. *Nuclear Instruments and Methods in Physics Research*, B75, 99-104.

## **APPENDICES**